

### **GENUINE PARTS**

## **INSTALLATION INSTRUCTIONS**

DESCRIPTION: Nissan Tailgate Audio Kit

APPLICATION: Titan & Frontier

## **T98U4 9BU1A**

PART NUMBER(S)
REQUIRED FOR
INSTALLATION:


# ADDITIONAL NISSAN PARTS AVAILABLE:


T99U4 9BU3A - Tailgate Audio Mounting Bracket Kit T99U4 9BU4A - Tailgate Audio Lock Plate Kit


T99U4 9BU0S - Tailgate Audio Slider Block Parts Kit (Service Kit) T99Y7 9BUWL - Utility Track Section (For mounting the Nissan Tailgate Audio with

the bracket to a wall for home usage.)

#### **KIT CONTENTS:**







PART NUMBER(S)
REQUIRED FOR
INSTALLATION:

**T99T8 9BU1A** 

#### KIT CONTENTS:

Item	Level			QTY	Description	Nissan Part Number
Kit	1			1	NISSAN TAILGATE AUDIO KIT	T99T8 9BU1A
Α		2		1	Exterior Audio Blue Tooth Speaker	T99U4 9BU2A
В		2		1	AC-to-DC Power Adapter (*) including FM antenna	NA
С		2		1	Installation Instruction Replacement Template	999V2 AW000
D			NA	0	Installation Instruction (Nissan I/I Web Portal)	T99T8 9BU1A II

#### NOTES:

When installing this kit as an initial dealership vehicle preparation accessory, retrieve the boxed kit from the rear seat floor area inside the vehicle.

(\*) AC-to-DC Power Adapter (without FM antenna) is available from Nissan with service with P/N: T98S3 9BU0S.

Nissan Tailgate Audio Mounting Bracket Kit is available from Nissan accessory parts P/N: T99U4 9BU3A for mounting the speaker into the bed of either a Titan or Frontier truck.

Nissan Tailgate Audio Lock Plate Kit is available from Nissan accessory parts P/N: T99U4 9BU4A for attaching the mounting bracket to the utilitrack headrail into the bed of either a Titan or Frontier truck.

Nissan Utility Track section (Bed Audio) available from Nissan accessory parts P/N: T99Y7 9BUWL for wall mounting the audio speaker with the bracket and this section onto a wall.

#### **TOOLS REQUIRED:**

None

#### **INSTALLATION CAUTIONS:**



## CAUTION

- Dealer installation recommended. Instructions may refer to Service Manual.
- Please read this instruction carefully before installing this product for correct installation.
- Please DO NOT use or install the part in ways other than what is described.
- Always use floor, seat and steering wheel protection.
- Parts utilizing adhesion as method of attachment are to be installed at surface temperature of 15-38° C
- Apply masking tape as needed to protect areas that may be scratched or damaged by tools.
- Always remove vehicle parts in the sequence directed. Improper procedure can damage parts.
- Take care not to scratch or damage any component during the removal or re-installation process.
- Trim pieces found to have witness marks or broken clips ARE NOT to be reinstalled.
- Store removed parts in a safe manner.
- If a problem occurs during installation, please contact Nissan dealer where product was purchased.

